




Installation Instructions

CHEVY\GMC PICK UP PET DIVIDER
PDGMPU06BK
FITS MODEL YEARS 2006 AND UP
EXTENDED AND QUAD CABS

Thank you for purchasing a Dirtydog 4x4 pet divider. Please read these instructions fully to familiarize yourself with the installation. Set aside 20 minutes for the first time you install your pet divider. No tools are required for installation.



Step 1: Slide the aluminum bar into the top row of loops of the pet divider.



Step 2: Install shock cord hooks on the bottom of the pet divider as shown



Step 3: Hang the pet divider off the top of the trim at the top of the door pillar behind the front seat as shown in the photos.



Step 4: Connect top strap around roof top grab handles and feed into ladderloc. be sure to run the webbing through the top loop on the net first.



Step 5 Attach the bottom shock cords to the under side of the seats as shown.



Step 6: Attach the side straps to the grab handles at the doors as shown. Tighten equally on both side. Your pet divider is now installed.



Your net comes with a 3 year warranty against manufacturing defects. Cuts, abrasions, sun faded items are not covered under the warranty.

Dirtydog 4x4
2025 Dundas St. E.
Mississauga, ON
Canada

855-704-0708

Question? Call or email orderdesk@dirtydog4x4.com